



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 9 N

R 2 W

Survey of the N. 8. N. R. No 272nd Mer. Ind.

76.27 Into cut the N. 8. N. R. No 272nd Mer. Ind. 358 lms East of the post on of
 Sec. 31. 130 T. 9. N. R. 27th and set a post for the corner of Sec.
 580. From which
 Stick 3 in diam. 14 lms. 14 lms. dist. 14,
 Stick 3 4 " " 15 17-8 " "
 Same as the same. as last met.

Surveyed by
 Arthur Henric
 Dep^t Sur.

Comp.

I certify, that the foregoing Transcript of the field
 notes of Township No 8. North of Range No 2 West
 of the 2nd Principal Meridian in Indiana has
 been compared with the Original notes with the Office
 and found to be correct.
 Surveyor General's Office,
 Cincinnati, Nov 17 1841

Surveyor General.

Township No 9. North of Range No 2 West 2nd Mer Ind

South Boundary.

B 136

April 6. 1811. From the corner of T. 8 & 9 N. R. 27th.
 Met On the South Boundary of sec. 36. T. 9. N. R. 27th.
 4000 Set a new post from which
 Stick 13 in diam. 137 E 34 lms. dist. 14,
 Do. 14 " " 153 7 22 " "
 8000 Set a post for the corner of sec. 35 & 36. From which
 Dogwood 5 in diam. 146 11. 28 lms. dist. 14,
 Do. 4 " " 146 E. 14 " "
 Same as the same. as last met.

Met On the South Boundary of sec. 35 T. 9. N. R. 27th.
 35.00 Set a post 10 lms. from the corner
 4000 Set a new post from which
 Stick 10 in diam. 146 E. 14 lms. dist. 14,
 Dogwood 5 " " 147 11 16 " "
 8000 Set a post for the corner of sec. 34 & 35. From which
 Stick 13 in diam. 130 11 7 lms. dist. 14,
 Do. 18 " " 145 11 13 " "
 Same as the same.

Met On the South Boundary of sec. 34 T. 9. N. R. 27th.
 4000 Set a new post from which
 Dogwood 12 in diam. 135 E. 13 lms. dist. 14,
 Do. 8 " " 145 11 12 " "
 8000 Set a post for the corner of sec. 33 & 34. From which
 Gum 5 in diam. 140 11 10 lms. dist. 14,
 Black 36 " " 145 E. 14 " "
 Same as the same. as last met.

Met On the South Boundary of sec. 33 T. 9. N. R. 27th.
 4000 Set a new post from which
 Dogwood 10 in diam. 122 11 13 lms. dist. 14,

T. No. 9. N. R. N. 27. 2nd Mer. Ind.

North On the East Boundary of sec. 12 T. 9. N. R. 27.

32.50 To an Ash. 30 in dia. in the river.

40.00 Set a post for the corner from which

Sugar. 12 in dia. beam. N 47° 11' 9" W. 31 m. dist; 12

Butter milk. 18 " " " S 57° E. 31 " "

43.50 To a Post 10 links wide, corner S.E.

53.50 To a Poplar. 20 in dia. in the river.

80.00 Set a post for the corner of sec. 17 12 from which

Beck. 13 in dia. beam. N 29° E. 31 m. dist; 12

Sugar. 12 " " " N 60° W. 40 " "

Sands and timber some at last mile.

North On the East Boundary of sec. 1. T. 9. N. R. 27.

37.50 To a Line S 53° W.

40.00 Set a post for the corner from which

Sugar. 17 in dia. beam. S 86° E. 36 m. dist; 12

Do. 14 " " " N 19° W. 31 " "

54.00 To a Sugar. 16 in dia. in the river.

80.00 Set a post for the corner of T. 9 N. R. 27 from which

Beck. 5 in dia. beam. N 16° W. 13 m. dist; 12

Do. 12 " " " N 46° E. 28 " "

Good land timber Beck, Sugar, Oak, &c.

North Boundary

April 9 1811. East on a Random line between
T. 9 N. R. 27. 5 miles 73 ch. Fell 100 lbs
North of the 1st corner. Corrected and marked
the line. West.

West On the South Boundary of Sec. 36. T. 10. N. R. 27.

7.50 To a Beck. 15 links wide, corner. N.E.

40.00 Set a post for the corner from which

Ash. 20 in dia. beam. S 77° E. 2 m. dist; 12

Beck 14 " " " N 10° E. 4 " "

T. No. 9. N. R. N. 27. 2nd Mer. Ind.

80.00 Set a post for the corner 35 136 from which

Beck 30 in dia. beam. N 55° W. 14 m. dist; 12

Nicks 5 " " " S 85° E. 8 " "

Good land. Timber Beck, Oak Walnut.

West On the South Boundary of sec. 35. T. 10. N. R. 27.

40.00 Set a post for the corner from which

Sugar. 16 in dia. beam. N 60° E. 2 m. dist; 12

Sugar. 6 " " " S 20° W. 36 " "

80.00 Set a post for the corner of sec. 34 135 from which

Sugar. 12 in dia. beam. S 40° E. 36 m. dist; 12

Beck. 16 " " " N 48° W. 24 " "

Good land and not. Good land. Timber Beck,

Oak, &c.

West On the South Boundary of sec. 34. T. 10. N. R. 27.

40.00 Set a post for the corner from which

Beck 11 in dia. beam. N 52° E. 16 m. dist; 12

Do. 12 " " " S 21° E. 18 " "

50.00 To a rock. 75 lbs mass, corner N.W.

80.00 Set a post for the corner 33 134 from which

Sugar. 14 in dia. beam. N 59° W. 10 m. dist; 12

Do. 5 " " " S 41° W. 14 " "

Sands and rock; Timber Beck, Sugar Walnut,

West On the South Boundary of sec. 33. T. 10. N. R. 27.

40.00 Set a post for the corner from which

Nicks 18 in dia. beam. N 18° E. 14 m. dist; 12

Beck. 16 " " " N 27° E. 21 " "

80.00 Set a post for the corner of sec. 32 133 from which

Beck 12 in dia. beam. N 46° W. 9 m. dist; 12

Beck 12 " " " S 14° W. 18 " "

Good land. Timber Oak & Beck

T. No. 9. N. R. N. 27. 2nd Mer. Ind.

- North On the East Boundary of sec 12 T. 9. N. R. 27.
 32.50 To an Ash. 30 in dia. in the m.
 40.00 Set a post for the corner from which
 Sugar. 12 in dia. beam. N 47 W. 9 No. ash; 10
 Buck. 18 " " " S 57 E. 31 " "
 43.50 To a Post 12 links m. from corner S.E.
 53.50 To a Poplar. 20 in dia. in the m.
 80.00 Set a post for the corner of sec 12 from which
 Buck. 13 in dia. beam. N 29 E. 31 No. ash; 10
 Sugar. 12 " " " N 60 W. 40 " "
 Land and timber some at least m.

- North On the East Boundary of sec. 1. T. 9. N. R. 27.
 37.75 To a Line S 53 W.
 40.00 Set a post for the corner from which
 Sugar. 17 in dia. beam. S 8 E. 36 No. ash; 10
 Do. 14 " " " N 19 W. 31 " "
 54.00 To a Sugar. 16 in dia. in the m.
 80.00 Set a post for the corner of T. 9 N. R. 27 from
 which Buck. 5 in dia. beam. S 16 W. 13 No. ash; 10
 Do. 12 " " " N 4 E. 28 " "
 Good land Timber Buck. Sugar. Oak. &c.

North Boundary

B141

April 9 1811. East on a random line between
 T. 9 N. R. 27. 5 miles 73 ch. Full 1000
 North of the T. corner. corrected and marks
 the line. West.

- West On the South Boundary of Sec. 36. T. 10. N. R. 27.
 7.50 To a Post 15 links m. from corner. N.E.
 40.00 Set a post for the corner from which
 Ash. 20 in dia. beam. S 77 E. 2 No. ash; 10
 Buck. 14 " " " N 10 E. 4 " "

T. No. 9. N. R. N. 27. 2nd Mer. Ind.

- 80.00 Set a post for the corner 35 136 from which
 Buck. 30 in dia. beam. N 57 W. 14 No. ash; 10
 Nicks 5 " " " S 85 E. 8 " "
 Good land. Timber Buck. Oak Walnut.

- West On the South Boundary of sec. 35 T. 10 N. R. 27.
 40.00 Set a post for the corner from which
 Sugar. 16 in dia. beam. N 60 E. 2 links ash; 10
 Sugar. 6 " " " S 20 W. 36 " "
 80.00 Set a post for the corner of sec 34 135 from which
 Sugar. 12 in dia. beam. S 70 E. 30 No. ash; 10
 Buck. 16 " " " N 48 W. 24 " "
 Good land and rock. Good land. Timber Buck.
 Oak. &c.

- West On the South Boundary of sec. 34. T. 10 N. R. 27.
 40.00 Set a post for the corner from which
 Buck. 11 in dia. beam. N 50 E. 16 No. ash; 10
 Do. 12 " " " S 21 E. 18 " "
 50.00 To a corner. 75 No. m. from corner N.W.
 80.00 Set a post for the corner 33 134 from which
 Sugar. 14 in dia. beam. N 59 W. 10 No. ash; 10
 Do. 5 " " " S 41 W. 14 " "
 Good land & rock; Timber Buck. Sugar Walnut.

- West On the South Boundary of sec. 33. T. 10 N. R. 27.
 40.00 Set a post for the corner from which
 Nicks 18 in dia. beam. S 18 E. 14 No. ash; 10
 Buck. 16 " " " N 27 E. 21 " "
 80.00 Set a post for the corner of sec 32 133 from which
 Buck. 12 in dia. beam. N 46 W. 9 No. ash; 10
 Buck. 12 " " " S 14 W. 18 " "
 Good land Timber Oak & Buck.

T. N. G. N. R. No. 277th Min. Ind.

	Auger 16 in dist. bears S 85 E 32 lbs dist; 20, Ho. 9 " " S 86 N 15 " " Land clearing and good for farming; Timber Oak, Poplar, Walnut, Sugar, Ash, Birch &c.
East 4100 81.11	On a random line between Sec. 13 & 24 T. 9. N. R. 27 th Set a trap for deer post. Intersect the East Boundary 17 miles South of the post. Cn of sec. 13 & 24 Land clearing good for farming; Timber Oak, Hickory, Birch & Larch &c.
West 410.55 81.11	On the true line between Sec. 13 & 24 T. 9. N. R. 27 th Set the trap for deer post at the corner on the true line from which Sugar 9 in dist. bears - 75 E. 4 p. lbs dist; 20, Ho. 5 " " S 5 E 34 " " To the post cn of sec. 13, 14, 23 & 24
North 4000 80.00	Between Sec. 13 & 24 T. 9. N. R. 27 th Set a trap for deer post from which, Beach 18 in dist. bears N 77 W 16 lbs dist; 20, Sugar 11 " " S 10 E 17 " " Set a post for the cn of sec. 11, 12, 13 & 24 from which, Elm 7 in dist. bears S 66 W 19 lbs dist; 20, Sugar 7 " " N 80 E 12 " " Land good for farming; Timber Oak, Ash & Birch, Poplar & Elm.
East 4000 81.36	Septemb ^r 1815. On a random line between Sec. 12 & 13 T. 9. N. R. 27 th Set a trap for deer post. Intersect the East Boundary 8 miles South of the post. Cn of sec. 12 & 13. Land clearing good for farming.

T. N. G. N. R. No. 277th Min. Ind.

West 4068 80.36	On the true line between Sec. 12 & 13 T. 9. N. R. 27 th Set the trap for deer post at the corner on the true line from which, Sugar 10 in dist. bears S 54 W 5 lbs dist; and Ho. 2 " " S 54 E 2 " " To the post cn of sec. 11, 12, 13 & 24
North 4000 80.00	Between Sec. 11 & 12 T. 9. N. R. 27 th Set a trap for deer post from which, Beach 11 in dist. bears S 77 W 9 lbs dist; 20, Sugar 6 " " S 67 E 15 " " Set a post for the cn of sec. 1, 2, 11 & 12 from which, Beach 16 in dist. bears S 66 E 13 lbs dist; 20, Hickory 18 " " N 77 W 23 " " Land clearing and good for farming; Timber Oak, Sugar Oak, & Hickory &c.
East 4000 81.32	On a random line between Sec. 1 & 12 T. 9. N. R. 27 th To a small spring branch corner E. Set a trap for deer post. Intersect the East Boundary 22 miles North of the post. Cn of sec. 1 & 12. Land thin Timber Birch, Oak & Poplar &c.
West 40.66 81.32	On the true line between Sec. 1 & 12 T. 9. N. R. 27 th Set the trap for deer post at the corner on the true line from which, Beach 10 in dist. bears S 42 W 14 lbs dist; and Ho. 5 " " S 35 E 22 " " To the cn of sec. 1, 2, 11 & 12.
North 500 4000	Between Sec. 1 & 12 T. 9. N. R. 27 th To a Birch 14 lbs middle sec. N. W. Set a trap for deer post from which, Beach 16 in dist. bears S 23 W 5 lbs dist; 20.

T. N. 9. N. R. No. 277 2nd Mer. Ind.

Beck 10 in dist. bears NW 21 1/2 miles north
 64.00 To a tract of 6 1/2 miles, corner Sec.
 79.15 Intersect the NW 1/4 of 18 1/2 miles West of the first corner
 of sec. 35 & 36. T. 10 N. R. 27 W. and set a post for the
 " " 100 from which
 corner of 21 in dist. bears S 85 E. 3 1/2 miles dist. to
 " " 3 " " N 69 W. 8 " "
 Land good for farming; Timber Oak, Beech &
 Hickory &c.

North Return Sec. 34 & 35 T. 9 N. R. 27 W. Sept. 15 1885.
 40.00 Set a post for the corner of sec. 34 & 35.
 Beck 10 in dist. bears N 40 E 10 1/2 miles dist. to
 " " 10 " " S 15 E 18 " "
 80.00 Set a post for the corner of sec. 26, 27, 34 & 35 from which
 corner 14 in dist. bears S 50 E 7 1/2 miles dist. to
 Sugar 12 " " S 69 W 9 " "
 Land rolling or low hills. Timber Poplar, Sugar, Beech,
 Walnut, Oak, Hickory. Excellent farming land very
 rich soil

East On a Random line between Sec. 26 & 35 T. 9 N. R. 27 W.
 40.00 Set a post for the corner of sec. 26 & 35.
 79.78 Intersect the NW 1/4 of 18 1/2 miles North of the first corner of
 Sec. 25, 26, 35 & 36. Land low hills. Timber Beech,
 Oak, Hickory, Poplar &c. Muddling good for farming

41.01 Return Sec. 26 & 35 T. 9 N. R. 27 W. Line line
 39.89 Set the post for the corner at the ar. dist. on the line from
 which, Hickory 14 in dist. bears S 40 E 21 1/2 miles dist. to
 " " 94 " " S 51 W 11 " "
 79.78 To the corner of sec. 26, 27, 34 & 35

T. N. 9. N. R. No. 277 2nd Mer. Ind.

North Return Sec. 26 & 27 T. 9 N. R. 27 W. Sept. 16 1885.
 40.00 Set a post for the corner of sec. 26 & 27.
 " " 5 in dist. bears S 57 W. 15 1/2 miles dist. to
 " " 7 " " N 75 W 14 " "
 80.10 Set a post for the corner of sec. 22, 23, 26 & 27 from which
 " " 5 in dist. bears S 67 W 13 1/2 miles dist. to
 Sugar 16 " " N 22 E 17 " "
 Land good for farming; Timber Oak, Ash, Poplar,
 Walnut &c.

East On a Random line between Sec. 23 & 26 T. 9 N. R. 27 W.
 40.00 Set a post for the corner of sec. 23 & 26.
 80.20 Intersect the NW 1/4 of 18 1/2 miles South of the first
 corner of sec. 23, 24, 25 & 26. Land the same as last time

West On the line between Sec. 23 & 26 T. 9 N. R. 27 W.
 40.10 Set the post for the corner at the ar. dist. on the line from
 which, Sugar 8 in dist. bears N 30 W. 9 1/2 miles dist.
 " " 18 " " West. 12 " "
 80.20 To the corner of sec. 22, 23, 26 & 27

South Return Sec. 22 & 23 On a Random line T. 9 N. R. 27 W.
 40.00 Set a post for the corner of sec. 22 & 23.
 80.39 Intersect the NW 1/4 of 18 1/2 miles East of the first corner of
 Sec. 22, 23, 25 & 27. Land rolling & good for farming

North On the line between Sec. 22 & 23 T. 9 N. R. 27 W.
 40.197 Set the post for the corner at the ar. dist. on the line from
 which, Beech, 7 in dist. bears N 83 W. 17 1/2 miles dist.
 " " 20 " " S 10 E 31 " "
 80.39 To the corner of sec. 24, 25, 26 & 27

West Return Sec. 24 & 25 T. 9 N. R. 27 W.

40.00 Set a 7/8 cup post from white,
cherry 2 1/2 in diam. bears S 26 N 10 mds dist. on
Beck 24 " " " N 40 E 30 " "
62.00 To a Brook 50 mds mds, leaves N.W.
80.00 Set a post for the crop of 14 15. 22 & 23 from which
a Beck 36 in diam. bears West 17 1/2 mds; on
Sugar. 16 " " " N 7 E 14 " "
Land good for farming

North Return Sur 14 & 15. T. 9. N. R. 2nd Mm. Sept. 19 1815

40.00 Set a 7/8 cup post from white,
Walnut. 16 in diam. bears N 60 E 20 mds dist; on
Sugar. 17 " " " S 44 N 32 " "

73.00 To a Brook 50 mds mds, leaves N.W.

80.00 Set a post for the crop of 14 15. 10 & 11 from which
Sugar. 16 in diam. bears. N 89 N 33 mds dist; on
W. Beck 6 " " " N 73 E 10 " "

Land good for farming Timber Walnut, Sugar
Oak, Oak, Beck, Buckeye &c

East On a Random line between Sur. 11 & 14 T. 9. N. R. 2nd Mm.

40.00 Set a temporary 7/8 cup post.

80.19 Enter cut the N. 1/2 line 11 mds North of the post on
of 14. 12. 13 & 14 Land the same as last mile.

West On the Line line between Sur. 11 & 14 T. 9. N. R. 2nd Mm.

20.97 Set the temporary 7/8 cup post at the ar dist on the line
from which, Walnut. 16 in diam. bears S 60 N 26 mds dist
and a Beck 17 " " " N 44 E 31 " "

80.19 To the post on of 14. 10. 11. 14 & 15.

North Return Sur 10 & 11 T. 9. N. R. 2nd Mm.

36.00 To a Brook 25 mds mds leaves N.W.

40.00 Set a post for the crop of 14 15 from which a
Sugar 14 in diam. bears S 43 N 2 mds dist. on
Be 4 " " " S 26 E 72 " "

81.00 Set a post for the crop of 14 15 & 11 from which a
Oak 22 in diam. bears S 87 E 21 mds dist. on
Be 13 " " " N 77 E 11 " "
Land same as on the last mile.

East On a Random line between Sur. 2 & 11. T. 9. N. R. 2nd Mm.

40.00 Set or temporary 7/8 cup post.

80.67 Enter cut the N. 1/2 line 19 mds South of the post on
of 14. 12. 11 & 12. Land the same.

West On the Line line between Sur. 2 & 11. T. 9. N. R. 2nd Mm.

40.35 Set the temporary 7/8 cup post at the ar dist on the line
from which, Sugar 17 in diam. bears. S 89 N 14 mds dist
and a Beck 11 " " " S 64 E 29 " "

80.67 To the post on of 14. 23. 10 & 11.

North Return Sur. 2 & 13. T. 9. N. R. 2nd Mm.

39.00 To a Brook 50 mds mds, leaves N.W.

40.00 Set a 7/8 cup post from white

W. Beck. 3 in diam. bears. — 56 N. 18 mds dist; on

Sugar 11 " " " N 58 N 25 " "

78.25 Enter cut the N. 1/2 line 24 1/2 mds West of the post on
of 14. 34 & 35. T. 10. N. R. 2nd Mm. and set a post for the
crop of 2 & 3 from which

Sugar 7 in diam. bears. S 79 E 4 1/2 mds dist; on

Buckeye 10 " " " S 80 N 16 " "

Land good for farming. Timber Oak, Sugar, Buckeye Walnut, &c

East On a Random line between Sur. 33 & 34 T. 9. N. R. 2nd Mm.

T. N. 9. N. R. N. 27. 2nd M. Ind.

- 40.00 Set a post for the cor. of 14 Sec. from which a
Sugar 12 in diam. bears S. 86. E. 4 links dist. La
No. 27. " " " S. 59. W. 23. " "
- 81.00 Set a post for the cor. of Sec. 9. 10. 15. 46. from which
a Buck 12 in diam. bears N. 82. E. 11 links dist.
San Ark 30. " " " S. 41. W. 16. " "
- Land good for farming. Timber same as last mile.

- East On a Random line between Sec. 10 & 15. T. 9. N. R. 2. M.
- 14.50 To a Buck 60 links wide. Course N. W.
- 40.00 Set a temp^o post for the cor. of 14 Sec.
- 42.50 To a Buck 30 links wide. Course N.
- 81.24 Intersect the N. & S. line 107 links South of the post
cor. of Sec. 10. 11. 14. 45.
- Land & Timber same as on the last mile.

- West On the True line between Sec. 10 & 15. T. 9. N. R. 2. M.
- 40.62 Set the temp^o post for the cor. of 14 Sec. at the aver.
dist. on the true line from which a
Sugar 15 in diam. bears N. 27. E. 12 links dist. La
No. 4. " " " S. 55. E. 12. " "
- 81.24 To the post cor. of Sec. 9. 10. 15. 46.

- North Between Sec. 9 & 10. T. 9. N. R. 2. M.
- 40.00 Set a post for the cor. of 14 Sec. from which a
Buck 14 in diam. bears N. 27. W. 33. No shot, to
No. 5. " " " S. 35. E. 16. " "
- 60.00 To a spring corner E.
- 80.00 Set a post for the cor. of sec. 34 & 49. 710 (from which)
Sugar 20 in diam. stands for the cor. of sec. 34
& 710. Land & timber Sugar. Walnut,
part pt. rate for farming.

T. N. 9. N. R. N. 27. 2nd M. Ind.

- West On a Random line between Sec. 30 & 39. T. 9. N. R. 2. M.
- 40.00 Set a temp^o post for the cor.
- 45.00 To a creek 60 links wide. Course N.
- 80.50 Intersect the N. & S. line 103 links South of the post cor.
of sec. 34 & 710. Land the same as last mile.
-
- East On a True line between Sec. 30 & 39. T. 9. N. R. 2. M.
- 40.25 Set a temp^o post for the cor. at the N. end on the true line
from which, Sugar 20 in diam. bears S. 71. W. 9. No shot
and a No. 14. " " " S. 78. 22. " "
- 80.50 To the post cor. of sec. 32. 10711

Sept. 20. 1815.

- North Between Sec. 30 & 39. T. 9. N. R. 2. M.
- 40.00 Set a temp^o post from which
Buck 18 in diam. bears West 5 No shot, to
No. 7. " " " S. 68. W. 26. " "
- 75.48 Intersect the N. & S. line 302 links West of the post
cor. of sec. 33 & 34. T. 10. N. R. 2. M. and set a post
" " " 304 from which
Log wood 5 in diam. bears S. 34. E. 6 No shot; to
Buck 18 " " " N. 34. W. 23. " "
- Land the same.

- South On a Random line between Sec. 33 & 33. T. 9. N. R. 2. M.
- 30.00 To a Brook 30 links wide. Course S. W.
- 40.00 Set a temp^o post for the cor.
- 80.64 Intersect the South Bound 75 links West of the
post cor. of sec. 32 & 33.
- Land N. & S. or North & S. rate, farming land
" South & S. 2nd rate. Timber similar.

- North On the True line between Sec. 32 & 33. T. 9. N. R. 2. M.

T. N. 9. N. R. N. 27. 2nd Mm. Ind.

40.32 Set the trap for sugar at the ar. dist. on the line from
whit, Bent 12 in dist. beam. \$14.76 the cost; 10,
R. Oak. 14 " " " " \$8.72 " "
80.64 To the post on of sw. 28.29.32.33.

West Return Jan 28.33. T. N. 9. N. R. 27. 2nd Mm. Ind. v. 5.25.
20.00 To a Brook. 20 miles m. d. corner D. M.
40.00 Set a trap for sugar at the ar. dist. on the line from
whit, Bent 12 in dist. beam. \$14.76 the cost; 10,
R. Oak. 14 " " " " \$8.72 " "
42.00 To a Brook. 30 miles m. d. corner D. M.
80.00 Set a post for the cor. of sw. 28.29.32.33 from whit,
Bent 9 in dist. beam. \$6.36 the cost; 10,
Sugar 14 " " " " \$4.27 " "
Land rolling. Timber same. Good land for farm-
ing suit soil.

North Return Jan 28.33. T. N. 9. N. R. 27. 2nd Mm. Ind. v. 7.07.
40.00 Set a trap for sugar at the ar. dist. on the line from
whit, Bent 14 in dist. beam. \$6.67 the cost; 10,
R. Oak. 13 " " " " \$5.26 " "
80.00 Set a post for the cor. of sw. 20.21.28.29 from whit,
Bent 8 in dist. beam. \$5.26 the cost; 10,
Sugar 9 " " " " \$3.77 " "
Land for good farming land; Timber. Lumber. Timber
same as last met.

East Return Jan 21.34. T. N. 9. N. R. 27. 2nd Mm. Ind. v. 7.00.
40.00 Set a trap for sugar at the ar. dist. on the line from
whit, Bent 18 in dist. beam. \$4.77 the cost; 10,
R. Oak. 14 " " " " \$2.74 " "
80.00 Set a post for the cor. of sw. 8.9.16.17 from whit,
Bent 14 in dist. beam. \$2.74 the cost; 10,
Sugar 9 " " " " \$1.67 " "
Land for good farming land; Timber. Lumber. Timber
same as last met.

T. N. 9. N. R. N. 27. 2nd Mm. Ind.

West On the line between Jan 21.34. T. N. 9. N. R. 27. 2nd Mm. Ind. v. 7.00.
40.13 Set the trap for sugar at the ar. dist. on the line from
whit, Bent 12 in dist. beam. \$14.76 the cost; 10,
R. Oak. 14 " " " " \$8.72 " "
80.26 To a Section cor. for 20.21.28.29.

South On the line between Jan 20.34. T. N. 9. N. R. 27. 2nd Mm. Ind. v. 7.00.
40.00 Set a trap for sugar at the ar. dist. on the line from
whit, Bent 12 in dist. beam. \$14.76 the cost; 10,
R. Oak. 14 " " " " \$8.72 " "
80.20 To a Section cor. for 20.21.28.29. Land rolling. Timber same.

North On the line between Jan 20.34. T. N. 9. N. R. 27. 2nd Mm. Ind. v. 7.00.
40.00 Set the trap for sugar at the ar. dist. on the line from
whit, Bent 12 in dist. beam. \$14.76 the cost; 10,
R. Oak. 14 " " " " \$8.72 " "
80.20 To the post on of sw. 16.17.20.21.

West Return Jan 16.34. T. N. 9. N. R. 27. 2nd Mm. Ind. v. 7.00.
40.00 Set a trap for sugar at the ar. dist. on the line from
whit, Bent 10 in dist. beam. \$6.16 the cost; 10,
R. Oak. 13 " " " " \$5.26 " "
80.00 Set a post for the cor. of sw. 16.17.20.21 from whit,
Bent 9 in dist. beam. \$6.08 the cost; 10,
Sugar 9 " " " " \$3.77 " "
Land for good farming land; Timber. Lumber. Timber
same as last met.

North Return Jan 16.34. T. N. 9. N. R. 27. 2nd Mm. Ind. v. 7.00.
37.00 To a Brook. 10 miles m. d. corner D. M.
40.00 Set a trap for sugar at the ar. dist. on the line from
whit, Bent 18 in dist. beam. \$4.77 the cost; 10,
R. Oak. 14 " " " " \$2.74 " "
80.00 Set a post for the cor. of sw. 8.9.16.17 from whit,
Bent 14 in dist. beam. \$2.74 the cost; 10,
Sugar 9 " " " " \$1.67 " "
Land for good farming land; Timber. Lumber. Timber
same as last met.

40.00 Set a trap for first from white, N. 5-40.
 Buck 6 in air: bear. N 11 E. 5 W. dist: 10,
 Walnut, 12 " " S 47 E. 9 " "
 80.00 Set a post for the end of sec. 29, 30, 31 & 32 from white,
 Sugar. 9 in air: bear. N 17 W. 7 W. dist: 10,
 Buck 15 " " S 82 E. 20 " "
 Lande hilly Timber Oak, Buck, Sugar, Poplar,
 Lande mudding good for farming.

West Return Sec 30 & 31 T. 9. N. R. 27. N. 1-6-00
 40.00 Set a post for first from white,
 Sugar. 12 in air: bear. N 24 E. 14 W. dist: 10,
 Lo. 9 " " S 86 W. 14 " "
 45.00 To a Brook 20 miles into Corna & M.
 66.64 Enter cut the West Branch 157 miles South of
 the post on of sec. 25 & 36 T. 9. N. R. 37 and set a
 post " " 30 & 31 from white,
 Sugar. 6 in air: bear. N 6 E. 6 W. dist: 10,
 Lo. 7 " " S 45 W. 7 " "
 Lande hilly Timber Buck, Sugar, Oak, Walnut.
 Lande mudding good for farming.

South On a Ranam line between Sec. 29 & 30 T. 9. N. R. 27
 40.00 Set a trap for first.
 45.50 To a Brook 12 miles into Corna & M.
 79.73 Enter cut the E. W. line 20 miles West of the post on
 of sec. 29, 30, 31 & 32 Lande similar & quite hilly

North On the same line between Sec. 29 & 30 T. 9. N. R. 27
 39.97 Set the trap for first at the air: bear. N 8 W. 10 W. dist
 on air: Buck 18 " " N 24 E. 27 " "
 79.73 Set the post on of sec. 19, 20, 29 & 30.

West Return Sec 20 & 29 T. 9. N. R. 27.
 40.00 Set a post for first from white,
 Buck 9 in air: bear. N 43 E. 18 W. dist: 10,
 Lo. 9 " " S 11 E. 7 " "
 80.00 Set a post for the end of sec. 19, 20, 29, & 30 from white,
 Sugar. 6 in air: bear. N 24 E. 3 W. dist: 10,
 Buck 12 " " S 2 E. 29 " "
 Lande hilly Timber Oak. Lande mudding good for farming.

West Return Sec 19 & 30 T. 9. N. R. 27.
 40.00 Set a post for first from white,
 Buck 14 in air: bear. N 3 E. 12 W. dist: 10,
 Sugar 18 " " N 44 W. 7 " "
 66.25 Enter cut the West Branch 222 miles South of the post
 on of sec. 24 & 33 T. 9. N. R. 37 and set a post for
 " " 19 & 30 from white,
 Sugar 7 in air: bear. N 3 E. 10 W. dist: 10,
 Immort 3 " " N 44 E. 8 " "
 Lande hilly Timber Oak. Lande mudding good
 for farming.

South On a Ranam line between Sec. 19 & 20 T. 9. N. R. 27
 40.00 Set a trap for first.
 80.28 Enter cut the E. W. line at the post on of sec. 19, 20, 29 & 30
 Lande hilly Timber Oak. Lande mudding good for farming.

North On the same line between Sec. 19 & 20 T. 9. N. R. 27
 40.14 Set the trap for first at the air: bear. N 20 W. 7 W. dist:
 from white, Sugar. 11 in air: bear. N 20 W. 7 W. dist:
 on air: Buck 9 " " S 45 E. 39 " "
 80.28 Set the post on of sec. 17, 18, 19 & 20.

West Return Sec 17 & 20 T. 9. N. R. 27.

40.00 Let a 7/8 report from which,
Sugar 5 in dia. bears N 69 E. 19 lbs. met; or,
Beck 27, " " S 68 N. 15 " "
80.00 Let a post for the cor of sec 17, 18, 19, 22, from which,
Beck 24 in dia. bears N 60 N 6 W. 16 lbs. met; or,
Sugar 10 " " S 79 E. 40 " "
Lands rolling timber Beck Sugar, Ash, Walnut,
Poplar, Sand & water for farming.

West Between Sec 18 & 19, T. 9. N. R. 2 W. 1.6° 00'
40.00 Let a 7/8 report from which,
Beck 12 in dia. bears S 65 E 10 W. 16 lbs. met; or,
Ho. 14 " " N 14 W. 16 " "
66.50 Let a 7/8 report from which,
Beck 12 in dia. bears N 13 E 24 T. 9. N. R. 3 W. and set a
post for the cor of sec 18 & 19 from which,
Oak 30 in dia. bears N 61 E 23 W. 16 lbs. met; or,
Ho. 30 " " S 58 N 38 " "
Lands hilly low. Timber same good farming land

North Between Sec 17 & 18, T. 9. N. R. 2 W.
27.50 Let a 7/8 report from which,
32.50 " " Spring Brook, Sec. W.
34.50 " " Beck 10 lbs. met, Sec. W.
40.00 Let a 7/8 report from which,
Oak 20 in dia. bears N 7 E 37 W. 16 lbs. met; or,
W Beck 8 " " S 7 E 23 " "
80.00 Let a post for the cor of sec 17, 18, 19, 22 from which,
Beck 27 in dia. bears N 35 N 16 W. 16 lbs. met; or,
Sugar 6 " " N 49 E 10 " "
Lands hilly & timber same. Good land for farm-
ing nearly set water.

East Oak & sand line between Sec 8 & 17, T. 9. N. R. 2 W.
40.00 Let a 7/8 report from which,
80.00 Let a 7/8 report from which,
Beck 12 in dia. bears N 13 E 24 T. 9. N. R. 3 W. and set a
post for the cor of sec 18 & 19 from which,
Oak 30 in dia. bears N 61 E 23 W. 16 lbs. met; or,
Ho. 30 " " S 58 N 38 " "
Lands hilly low. Timber same. Good land for farming

West Oak & sand line between Sec 8 & 17, T. 9. N. R. 2 W.
40.00 Let a 7/8 report from which,
Beck 12 in dia. bears N 13 E 24 T. 9. N. R. 3 W. and set a
post for the cor of sec 18 & 19 from which,
Oak 30 in dia. bears N 61 E 23 W. 16 lbs. met; or,
Ho. 30 " " S 58 N 38 " "
Lands hilly low. Timber same. Good land for farming

West Between Sec 7 & 18, T. 9. N. R. 2 W.
40.00 Let a 7/8 report from which,
Beck 12 in dia. bears S 27 N 14 W. 16 lbs. met; or,
Ho. 30 " " N 5 E 28 " "
66.60 Let a 7/8 report from which,
Beck 12 in dia. bears N 13 E 24 T. 9. N. R. 3 W. and set a
post for the cor of sec 18 & 19 from which,
Oak 30 in dia. bears N 61 E 23 W. 16 lbs. met; or,
Ho. 30 " " S 58 N 38 " "
Lands hilly low. Timber same. Good land for farming

South Oak & sand line between Sec 7 & 18, T. 9. N. R. 2 W.
40.00 Let a 7/8 report from which,
80.00 Let a 7/8 report from which,
Beck 12 in dia. bears N 13 E 24 T. 9. N. R. 3 W. and set a
post for the cor of sec 18 & 19 from which,
Oak 30 in dia. bears N 61 E 23 W. 16 lbs. met; or,
Ho. 30 " " S 58 N 38 " "
Lands hilly low. Timber same. Good land for farming

North Oak & sand line between Sec 7 & 18, T. 9. N. R. 2 W.
40.00 Let a 7/8 report from which,
Beck 12 in dia. bears N 13 E 24 T. 9. N. R. 3 W. and set a
post for the cor of sec 18 & 19 from which,
Oak 30 in dia. bears N 61 E 23 W. 16 lbs. met; or,
Ho. 30 " " S 58 N 38 " "
Lands hilly low. Timber same. Good land for farming

I. N. 9. A. R. N. 2nd M. 2nd M.

80.60 Dogwood 6 in diam. bears N 76 W 20 lbs dist;
Set apart for the en of sec 5. 6. 7 & 8.

West Return Dec 5th 18 I. N. 9. A. R. 2nd M.
40.00 Set apart for the en of sec. from which,
Buck 19 in diam. bears N 15 E 16 lbs dist; or,
Do. 15 " " " S 17 W 42 " "
80.00 Set apart for the en of sec. 5. 6. 7 & 8 from which,
Buck 9 in diam. bears N 75 E 11 lbs dist; or,
Do. 9 " " " S 67 W 15 " "
Land here and adjacent mt, are despatch good for
farming.

West Return Dec 6th 18 I. N. 9. A. R. 2nd M.
40.00 Set apart for the en of sec. from which,
Hick 14 in diam. bears N 29 W 1 lbs dist; or,
Buck 6 " " " S 59 E 6 " "
67.36 Set apart for the West Boundary 472 rods North of
the post on of sec. 1 & 12 I. N. 9. A. R. 3rd M. and set a
post for the en of sec. 677 from which,
Buck 11 in diam. bears S 62 E 4 lbs dist; or,
Buck 12 " " " N 78 W 9 " "
Land good for farming. Timber similar

North Return Dec 5th 18 I. N. 9. A. R. 2nd M.
40.00 Set apart for the en of sec. from which,
Hick 10 in diam. bears S 76 E 11 lbs dist; or,
Oak 20 " " " N 24 W 15 " "
73.83 Set apart for the N Boundary 479 rods West of the post
on of sec. 31 & 33 I. N. 9. A. R. 2nd M. and set apart for the
en of sec. 5 & 6 from which,
Buck 9 in diam. bears N 40 E 2 lbs dist; or,
Do. 10 " " " S 54 W 22 " "

I. N. 9. A. R. N. 2nd M. 2nd M. Ind. 2nd M.

Land here and mt, Timber Principally Beech,
Surveyed by
William Harris.
Deft Ind.

Complete?

I certify that the foregoing Transcript of the field
notes of I. N. 9. A. R. N. 2nd M. 2nd M. Ind. 2nd M. has been
compared with the Original notes in this Office &
found to be correct.
Surveyor General's Office
Cincinnati Nov. 18. 1841

Sw. General